



Certificate Number
CPS-013

Date of initial registration

04 March 2013

Date of last issue

04 March 2013

Date of expiry

03 March 2016

REGISTRATION CERTIFICATE



This is to certify that the Construction Product known as HCONTROL HYBRID (vapour control layer with built in thermal performance) manufactured by the following company

ACTIS SA

Avenue de Catalogne
11300 Limoux
France

and distributed in the UK by

ACTIS INSULATION Ltd

Unit 1 Cornbrash Park, Bumpers Way
Bumpers Farm Industrial Estate
Chippenham
Wiltshire SN14 6RA

has been assessed in accordance with the BM TRADA Certification Limited Q-Mark Scheme for Construction Products and meets the requirements of EN 13984 for use in roofs, walls and ceilings. It has a water vapour transmission resistance of $Z \geq 1000$ MNs/g, a water tightness rating of class W1 and is totally airtight. HControl Hybrid also provides complementary thermal insulation performance, although it is outside of the scope of BS EN 13984. The insulation properties have been tested according to EN 16012 with a core R-value declared at 1.90 m²K/W, an external emissivity declared at 0.06 and an R-value with 2 adjacent air gaps of 20 mm declared at 3.20 m²K/W

HCONTROL HYBRID is registered within the BM TRADA Certification Limited Q-Mark Scheme for Construction Products

The validity of this certificate is dependent on the adherence to the conditions laid down in the accompanying Q-Mark Schedule. The Q-Mark Schedule is an integral part of this certificate

As a Scheme member the Company agrees to maintain the fabrication and design of its HControl Hybrid product in accordance with the BM TRADA Certification scheme requirements and to use the Q-Mark in accordance with the Scheme Regulations

Signed on behalf of BM TRADA Certification Ltd

Dr Kevin Towler, Director

Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND

Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA at the above address or at www.bmtrada.com

This certificate remains the property of BM TRADA Certification Ltd To whom it must be returned on request.

The use of the accreditation mark indicates accreditation in respect of those activities covered by the accreditation certification 012

